





ELEVATION DETAIL OF DRAINAGE SLOT

TEST RESULTS MASH 2-11 ON CONCRETE

- 1. INSTALLATION LENGTH: 20 SEGMENTS
- 2. DYNAMIC DEFLECTION AT BASE: 29.9"
- 3. PERMANENT DEFLECTION AT BASE: 29.0"
- 4. WORKING WIDTH: 53.0"

GENERAL NOTES

- 1. ALL WELDED WIRE FABRIC, BARS, HOOP BARS AND PIN ASSEMBLIES ARE TO BE HOT-DIP GALVANIZED AFTER FABRICATION.
- 2. HOT-DIP GALVANIZED TREATMENTS ARE TO CONFORM TO MASSDOT STANDARD SPECIFICATIOS M7.10.0 AND AASHTO M111.
- 3. CEMENT CONCRETE IS TO CONFORM TO MASSDOT STANDARD SPECIFICATIONS M4.02.00. CEMENT CONCRETE IS TO BE 5000 PSI (SEE MASSDOT SPECIFICATIONS FOR DESIGN REQUIREMENTS).



CONSTRUCTION STANDARDS
SECTION 800

TEMPORARY CONCRETE BARRIER MTL-2 2/3

ISSUE DATE

853.2.2

JAN 2025